



**AUTOMATIC  
NOZZLES**



**BULK  
NOZZLES**

**METERS**



**LOCKING  
CAP**



**TRANSFER  
PUMPS**

**VENTS**



**FUEL  
REELS**



# **FUEL EQUIPMENT**

## **114..... FUEL NOZZLES**



## **115..... METERS, INLINE FILTERS, VALVES & VENTS**



## **115..... FUEL REELERS, ROTARY PUMPS & GREASE GUNS**



## **116..... 12 & 24 VOLT TRANSFER PUMPS**



All dimensions and weights are nominal and subject to change.



# **FUEL NOZZLES**



## **UNLEADED**

Unleaded manual fuel nozzle with 25mm female Bsp inlet.

Product Code
982-001



## **LEADED**

Leaded or Diesel manual fuel nozzle with 25mm female Bsp inlet.

Product Code
982-000



## **DIESEL AUTO FUEL NOZZLE**

25 mm automatic diesel nozzle with integral swivel for bowser use. Black cover. 25mm Bsp female swivel.

Product Code
983-000



## **BULK FUEL NOZZLE**

38 mm manual fuel nozzle for gravity flow applications only. Hold open notches on handle guard. 38mm female Bsp inlet

Product Code
982-012



# FUEL & OIL EQUIPMENT

## FUEL METERS



3 Digit flow meter. Up to 120 LPM flow with use with diesel fuel. Ideal for gravity applications. 25mm Bsp Ports. Aluminium body.

Product Code
986-000

Other meters available, Please contact sales Staff

## HIGH PRESSURE WATER GUN:



Product Code
982-008

## “Y” TYPE LINE FILTER:



Product Code
982-003

## AIR VENT:



Product Code	Description
982-004	Air Vent

## DIESEL/OIL DRUM PUMP:



Zinc alloy impellers make the pump suitable for oil, diesel fuel, kerosene and petrol transfer.

- Delivers 20LPM or 0.33 litre per rotation.
- Cast alloy construction ensures long working life and smooth operation.

Product Code
981-010



## FUEL HOSE REEL:

### Specifications:

Standard Hose Reels: For hoses sizes 20mm - 40mm I.D.

**Cheekplates:** 575mm. Made with rolled edges from heavy gauge steel sheet.

**Drums with full flow hub assemblies:**

Product Code
982-REEL

Fabricated from heavy gauge steel sheet with standard diameter of 305mm. Drum width vary according to desired drum capacity.

**Rewind Mechanisms:** Direct drive hand rewind is standard for hose sizes to 76.2mm. Geared hand rewind available as an alternative.

Electrically powered rewind operates through positive sprocket and chain drives.

Hydraulic powered rewind operates through direct drives, although sprocket and chain drives can fitted as an alternative.

For emergency use, auxiliary geared hand crank can be fitted.

Standard assembly for rewind mechanism at right-hand side facing reel, but mechanism can be mounted on left hand side if required.

**Mounting Frames:** Standard dimension frames are assembled to all standard hose reels.

## LOCKING CAP:



Product Code
982-005

## LEVER TYPE GREASE GUN:



Product Code
984-010

Other Grease Guns available, Please contact sales Staff



# 12 & 24 VOLT FUEL TRANSFER KITS



	12 Volt Kit	24 Volt Kit
Product Code	981-015	981-016

Fuel transfer pump kit electric for diesel transfer. Flow rate 33 LPM pump. Available with 12 volt and 24 volt pumps.



	12 Volt Kit	24 Volt Kit
Product Code	981-017	981-018

Diesel refuelling pump kit, complete with 4 meters of hose, manual nozzle, rotating drum connector and 2 piece poly suction pipe. Flow rate 40 LPM maximum. Available with 12 volt and 24 volt pumps.



	Manual Nozzle	Automatic Nozzle
Product Code	981-019	981-020

Fillrite SAE approved 12 volt refuelling pump kit for petrol, diesel and kero, complete with 3.6 meters of hose. Flow rate 57 LPM maximum. Available with a manual or automatic nozzle.

Other Fuel Transfer kits available, Please contact sales Staff



