




NATURAL



MATTING



INSERTION



SPONGE



FOAM



**SELF
ADEHESIVE**

RUBBER SHEETING


246.... INSERTION RUBBER

246.... PLATE RUBBER

246.... RIBBED MATTING

247.... EPDM SPONGE

247.... SELF-ADHESIVE FOAM



All dimensions and weights are nominal and subject to change.



SHEET PRODUCTS



Sheet rubber products can be utilised for various applications ranging from gasket cutting to vehicle mud flaps. Sheet rubber is available with inserted fabric plies between the rubber layers to limit lineal expansion.

Sheet rubber materials stocked are:

Natural- Excellent physical properties, good abrasion resistance. Not suitable for non-polar liquids such as mineral oils and hydrocarbons.

Neoprene- Excellent weather resistance, good physical properties. Flame retardant, and good oil resistance.


INSERTION RUBBER:

Product Code	Rubber Compound	Thickness (mm)	Plies	Width (mt)	Weight (Kg/mt)	Roll Length (mt)
S01-008	Natural	0.8	1	1.20	1.22	10
S01-015	Natural	1.5	1	1.20	2.30	10
S01-030	Natural	3.0	1	1.20	4.57	10
S01-035	Natural	3.0	2	1.20	4.57	10
S01-040	Natural	4.5	1	1.20	6.86	10
S01-045	Natural	4.5	2	1.20	6.86	10
S01-060	Natural	6.0	2	1.20	9.14	10
S01-095	Natural	9.5	2	1.20	14.48	10

PLATE RUBBER:

Product Code	Rubber Compound	Thickness (mm)	Plies	Width (mt)	Weight (Kg/mt)	Roll Length (mt)
S03-015	Natural	1.5	0	1.20	2.30	10
S03-030	Natural	3.0	0	1.20	4.57	10
S03-045	Natural	4.5	0	1.20	6.86	10
S03-060	Natural	6.0	0	1.20	9.14	10
S04-015	Neoprene	1.5	0	1.20	2.30	10
S04-030	Neoprene	3.0	0	1.20	4.57	10
S04-045	Neoprene	4.5	0	1.20	6.86	10

****NOTE:** Other sheet rubber materials available, please contact our sales staff.



RIBBED MATTING:

Product Code	Rubber Compound	Thickness (mm)	Rib Section	Width (mt)	Weight (Kg/mt)	Roll Length (mt)
S05-1235	Natural	3.0	Fine	1.20	5.67	10
S05-1550	Natural	5.0	Fine	1.50	11.80	10
S05-1850	Natural	5.0	Fine	1.80	14.15	10

This versatile natural rubber matting is available in a number of different non-slip finishes and thickness.

Ideal for industrial and domestic use:

- Walkways
- Behind counters and bars
- Utility tray liner
- Around work bench areas



RUBBER STRIP

EPDM SPONGE:



EPDM extruded sponge rubber. Suitable for general closure and sealant applications including marine, automotive, refrigeration, air-conditioning, truck cabs and body seals. This product is not self-adhesive but can be easily glued into position. Other styles and shapes are available on request.

Colour: Black.

Compound: EPDM sponge.

Construction: Closed cell, full skin, firm rubber.

Product Code	Section (mm)	Coil Length (mt)
450-1206	13 x 06	30
450-1210	13 x 10	30
450-1212	13 x 13	30
450-2010	19 x 10	30
450-2012	19 x 13	30
450-2020	19 x 19	30
450-2510	25 x 10	30
450-2512	25 x 13	30
450-2520	25 x 19	30
450-2525	25 x 25	30
450-3206	32 x 6	30
450-3210	32 x 10	30
450-3219	32 x 19	30
450-3225	32 x 25	30
450-3806	38 x 6	30
450-3812	38 x 12	30
450-3820	38 x 19	30
450-3825	38 x 25	30
450-5012	50 x 13	30
450-5020	50 x 19	30
450-5025	50 x 25	30

SELF-ADHESIVE FOAM:



Self-adhesive foam tape sealant in EPDM or Nitrile. Suitable for general closure and sealant applications including marine, automotive, refrigeration, air-conditioning, truck cabs and body seals. Other styles of adhesive foam tape available on request.

Colour: Black.

Compound: EPDM or Nitrile.

Construction: Closed cell, dual skin, firm rubber.

Width (mm): From 9mm to 1200mm available on request, refer to the table for standard stocked widths.

Product Code EPDM	Product Code Nitrile	Section (mm)	Coil Length (mt)
451-0312	451N-0312	3 x 12	25.0
451-0318	451N-0318	3 x 18	25.0
451-0324	451N-0324	3 x 24	25.0
451-0336	451N-0336	3 x 36	25.0
451-0350	451N-0350	3 x 50	25.0
451-0612	451N-0612	6 x 12	12.5
451-0618	451N-0618	6 x 18	12.5
451-0624	451N-0624	6 x 24	12.5
451-0636	451N-0636	6 x 36	12.5
451-0650	451N-0650	6 x 50	12.5
451-0918	451N-0918	9 x 18	8.0
451-0924	451N-0924	9 x 24	8.0
451-0936	451N-0936	9 x 36	8.0
451-0950	451N-0950	9 x 50	8.0
451-1218	451N-1218	12 x 18	7.0
451-1224	451N-1224	12 x 24	7.0
451-1236	451N-1236	12 x 36	7.0
451-1250	451N-1250	12 x 50	7.0

